ONDERSTEPOORT JOURNAL OF VETERINARY RESEARCH

Volume 71 • Numbers 1–4 • 2004

Author index

ABOLNIK, C.

Characterization of a pigeon paramyxovirus (PPMV-1) isolated from chickens in South Africa—C. ABOLNIK, R.F. HORNER, R. MAHARAJ & G.J. VILJOEN 157–160

ADU, F.D.

Protective levels of canine distemper virus antibody in an urban dog population using plaque reduction neutralization test—O.I. OYEDELE, D.O. OLUWAYELU, S.I.B. CADMUS, S.O. ODEMUYIWA & F.D. ADU 227–230

AFONSO, S.

Ixodid ticks on dogs in southern Mozambique—L. NEVES, S. AFONSO & I.G. HORAK 279–283

AHMADU, B.

Some observations on the sero-prevalence of heartwater and tick infestation in Zambian goats—B. AHMADU, C.E.A. LOVELACE, K.L. SAMUI & S. MAHAN 161–164

AHRENS, E.H.

Development of a novel self-medicating applicator for control of internal and external parasites of wild and domestic animals—M.J. BURRIDGE, L.A. SIMMONS, E.H. AHRENS, S.A.J. NAUDÉ & F.S. MALAN 41–51

ALBERTYN, J.

Psittacine beak and feather disease virus in budgerigars and ring-neck parakeets in South Africa—J. ALBERTYN, K.M. TAJBHAI & R.R. BRAGG 29–34

The testing and modification of a commercially available transport medium for the transportation of pure cultures of *Haemophilus paragallinarum* for serotyping—R.R. BRAGG, P. JANSEN VAN RENSBURG, E. VAN HEERDEN & J. ALBERTYN 93–98

Genetic organisation of the capsule transport gene region from *Haemophilus paragallinarum*—O. DE SMIDT, J. ALBERTYN, R.R. BRAGG & E. VAN HEERDEN 139–152

BAKHEIT, M.A.

High infection rates of the tick *Hyalomma anatolicum anatolicum* with *Trypanosoma theileri*—A.A. LATIF, M.A. BAKHEIT, AMNA E. MOHAMED & E. ZWEYGARTH 251–256

BARSON, M.

The occurrence of *Contracaecum* sp. larvae (Nematoda: Anisakidae) in the catfish, *Clarias gariepinus* (Burchell) from Lake Chivero, Zimbabwe—M. BARSON 35–39

BEAUCOURNU, J-C.

Parasites of domestic and wild animals in South Africa. XLIV. Fleas (Insecta: Siphonaptera: Pulicidae) collected from 15 carnivore species—I.G. HORAK, J-C. BEAUCOURNU & L.E.O. BRAACK 9–14

BINTA, M.G.

Yolk sac utilization in ostrich (*Struthio camelus*) chicks—E.Z. MUSHI, M.G. BINTA & R.G. CHABO 247–249

BOEHL, W.

Endemic stability for *Theileria parva* infections in Ankole calves of the Ankole ranching scheme, Uganda—F.M. KIVARIA, C. HEUER, F. JONGEJAN, J. OKELLO-ONEN, T. RUTAGWENDA, F. UNGER & W. BOEHL 189–195

BONIPHACE, S.

The effect of dexamethasone and promethazine in combination with buparvaquone in the management of East Coast fever—M. GWAMAKA, J.A. MATOVELO, M.M.A. MTAMBO, G.K. MBASSA, R.M. MASELLE & S. BONIPHACE 119–128

BOOMKER, J.

Studies on the genus *Setaria Viborg*, 1795 in South Africa. III. *Setaria thwaitei* Mönnig, 1933—R. WATERMEYER, J. BOOMKER & J.F. PUTTERILL 107–111

Parasites of South African wildlife. XVIII. *Cooperia pigachei* n. sp. (Nematoda: Cooperiidae) from the mountain reedbuck, *Redunca fulvorufula* (Afzelius, 1815)—J. BOOMKER & W.A. TAYLOR 171–174

BRAACK, L.E.O.

Parasites of domestic and wild animals in South Africa. XLIV. Fleas (Insecta: Siphonaptera: Pulicidae) collected from 15 carnivore species—I.G. HORAK, J-C. BEAUCOURNU & L.E.O. BRAACK 9–14

BRAGG, R.R.

Limitation of the spread and impact of infectious coryza through the use of a continuous disinfection programme—R.R. BRAGG 1–8

Psittacine beak and feather disease virus in budgerigars and ring-neck parakeets in South Africa—J. ALBERTYN, K.M. TAJBHAI & R.R. BRAGG 29–34

Evidence of possible evasion of protective immunity by NAD-independent isolates of *Haemophilus paragallinarum* in poultry—R.R. BRAGG 53–58

The testing and modification of a commercially available transport medium for the transportation of pure cultures of *Haemophilus paragallinarum* for serotyping—R.R. BRAGG, P. JANSEN VAN RENSBURG, E. VAN HEERDEN & J. ALBERTYN 93–98

Genetic organisation of the capsule transport gene region from *Haemophilus paragallinarum*—O. DE SMIDT, J. ALBERTYN, R.R. BRAGG & E. VAN HEERDEN 139–152

BRYANT, M.J.

Cross sectional estimation of *Babesia bovis* antibody prevalence in cattle in two contrasting dairy areas in Tanzania—E.S. SWAI, E.D. KARIMURIBO, N.P. FRENCH, N.H. OGDEN, J. FITZPATRICK, D. KAMBARAGE & M.J. BRYANT 211–217

BRYSON, N.R.

Progression towards endemic stability to bovine babesiosis in cattle introduced onto a game ranch—ASSEFA REGASSA, B.L. PENZHORN & N.R. BRYSON 333–336

BURRIDGE, M.J.

Development of a novel self-medicating applicator for control of internal and external parasites of wild and domestic animals—M.J. BURRIDGE, L.A. SIMMONS, E.H. AHRENS, S.A.J. NAUDÉ & F.S. MALAN 41–51

The pCS20 PCR assay for *Ehrlichia ruminantium* does not cross-react with the novel deer ehrlichial agent found in white-tailed deer in the United States of America—S.M. MAHAN, B.H. SIMBI & M.J. BURRIDGE 99–105

CADMUS, S.I.B.

Protective levels of canine distemper virus antibody in an urban dog population using plaque reduction neutralization test—O.I. OYEDELE, D.O. OLUWAYELU, S.I.B. CADMUS, S.O. ODEMUYIWA & F.D. ADU 227–230

CETIN, M.

Reference serum protein and lipoprotein fractions of ostriches (*Struthio camelus*) in Turkey—U. POLAT, M. CETIN, O. TURKYILMAZ & A. YALCIN 77–79

CHABO, R.G.

Yolk sac utilization in ostrich (*Struthio camelus*) chicks—E.Z. MUSHI, M.G. BINTA & R.G. CHABO 247–249

CHERENET, T.

Seasonal prevalence of bovine trypanosomosis in a tsetse-infested zone and a tsetse-free zone of the Amhara Region, north-west Ethiopia—T. CHERENET, R.A. SANI, J.M. PANANDAM, S. NADZR, N. SPEYBROECK & P. VAN DEN BOSSCHE 307–312

COLENBRANDER, B.

Comparison of three different media for freezing of epididymal sperm from the African buffalo (*Syncerus caffer*) and influence of equilibration time on the post-thaw sperm quality—F.C. HEROLD, K. DE HAAS, D. COOPER, B. COLENBRANDER, J.O. NÖTHLING, W. THEUNISEN, B. SPILLINGS & D. GERBER 203–210

COMBRINK, M.P.

Effect of diminazene block treatment on live redwater vaccine reactions—M.P. COMBRINK & P.C. TROSKIE ... 113–117

COOPER, D.

Comparison of three different media for freezing of epididymal sperm from the African buffalo (*Syncerus caffer*) and influence of equilibration time on the post-thaw sperm quality—F.C. HEROLD, K. DE HAAS, D. COOPER, B. COLENBRANDER, J.O. NÖTHLING, W. THEUNISEN, B. SPILLINGS & D. GERBER 203–210

DE HAAS, K.

Comparison of three different media for freezing of epididymal sperm from the African buffalo (*Syncerus caffer*) and influence of equilibration time on the post-thaw sperm quality—F.C. HEROLD, K. DE HAAS, D. COOPER, B. COLENBRANDER, J.O. NÖTHLING, W. THEUNISEN, B. SPILLINGS & D. GERBER 203–210

DE SMIDT, O.

Genetic organisation of the capsule transport gene region from *Haemophilus paragallinarum*—O. DE SMIDT, J. ALBERTYN, R.R. BRAGG & E. VAN HEERDEN 139–152

DE WAAL, D.T.

A sero-epidemiological survey of blood parasites in cattle in the north-eastern Free State, South Africa—M.S. MTSHALI, D.T. DE WAAL & P.A. MBATI 67–75

DURDEN, L.A.

Linognathus weisseri n. sp. (Phthiraptera: Linognathidae) of impalas, *Aepyceros melampus:* description and biology—L.A. DURDEN & I.G. HORAK 59–66

DWARKA, R.M.

Molecular epidemiology of serotype O foot-and-mouth disease virus isolated from cattle in Ethiopia between 1979–2001—M. SAHLE, E.H. VENTER, R.M. DWARKA & W. VOSLOO 129–138

EL HUSSEIN, A.M.

Preliminary survey of ticks (Acari: Ixodidae) on cattle in northern Sudan—D.A. SALIH, S.M. HASSAN, A.M. EL HUSSEIN & F. JONGEJAN 319–326

ENGELBRECHT, H.

Changes in the renal handling of urea in sheep on a low protein diet exposed to saline drinking water—R.A. MEINTJES & H. ENGELBRECHT 165–170

EVANS, URSULA

Parasites of domestic and wild animals in South Africa. XLV. Helminths of dairy calves on dry-land Kikuyu grass pastures in the Eastern Cape Province—I.G. HORAK, URSULA EVANS & R.E. PURNELL 291–306

FITZPATRICK, J.

Cross sectional estimation of *Babesia bovis* antibody prevalence in cattle in two contrasting dairy areas in Tanzania—E.S. SWAI, E.D. KARIMURIBO, N.P. FRENCH, N.H. OGDEN, J. FITZPATRICK, D. KAMBARAGE & M.J. BRYANT 211–217

FOURIE, L.J.

A laboratory comparison of the life cycles of the dog ticks *Haemaphysalis leachi* and *Rhipicephalus sanguineus*—P.A.H. JACOBS, L.J. FOURIE & I.G. HORAK 15–28

Larval biology of *Rhipicephalus (Boophilus) decoloratus* (Acarina: Ixodidae) in Free State Province, South Africa—M.S. PHALATSI, L.J. FOURIE & I.G. HORAK 327–331

FRENCH, N.P.

Cross sectional estimation of *Babesia bovis* antibody prevalence in cattle in two contrasting dairy areas in Tanzania—E.S. SWAI, E.D. KARIMURIBO, N.P. FRENCH, N.H. OGDEN, J. FITZPATRICK, D. KAMBARAGE & M.J. BRYANT 211–217

GARIJO, M.M.

Helminths in a giraffe (*Giraffa camelopardalis giraffa*) from a zoo in Spain—M.M. GARIJO, J.M. ORTIZ & M.R. RUIZ DE IBÁÑEZ 153–156

GERBER, D.

Comparison of three different media for freezing of epididymal sperm from the African buffalo (*Syncerus caffer*) and influence of equilibration time on the post-thaw sperm quality—F.C. HEROLD, K. DE HAAS, D. COOPER, B. COLENBRANDER, J.O. NÖTHLING, W. THEUNISEN, B. SPILLINGS & D. GERBER 203–210

GREEN, E.D.

Use of scanning electron microscopy to confirm the identity of lice infesting communally grazed goat herds—P.J. SEBEI, C.M.E. McCRINDLE, E.D. GREEN & M.L. TURNER 87–92

GWAMAKA, M.

The effect of dexamethasone and promethazine in combination with buparvaquone in the management of East Coast fever—M. GWAMAKA, J.A. MATOVELO, M.M.A. MTAMBO, G.K. MBASSA, R.M. MASELLE & S. BONIPHACE 119–128

HASSAN, S.M.

Preliminary survey of ticks (Acari: Ixodidae) on cattle in northern Sudan—D.A. SALIH, S.M. HASSAN, A.M. EL HUSSEIN & F. JONGEJAN 319–326

HEROLD, F.C.

Comparison of three different media for freezing of epididymal sperm from the African buffalo (*Syncerus caffer*) and influence of equilibration time on the post-thaw sperm quality—F.C. HEROLD, K. DE HAAS, D. COOPER, B. COLENBRANDER, J.O. NÖTHLING, W. THEUNISEN, B. SPILLINGS & D. GERBER 203–210

HEUER, C.

Endemic stability for *Theileria parva* infections in Ankole calves of the Ankole ranching scheme, Uganda—F.M. KIVARIA, C. HEUER, F. JONGEJAN, J. OKELLO-ONEN, T. RUTAGWENDA, F. UNGER & W. BOEHL 189–195

HORAK, I.G.

Parasites of domestic and wild animals in South Africa. XLIV. Fleas (Insecta: Siphonaptera: Pulicidae) collected from 15 carnivore species—I.G. HORAK, J-C. BEAUCOURNU & L.E.O. BRAACK 9–14

A laboratory comparison of the life cycles of the dog ticks *Haemaphysalis leachi* and *Rhipicephalus sanguineus*—P.A.H. JACOBS, L.J. FOURIE & I.G. HORAK 15–28

Linognathus weisseri n. sp. (Phthiraptera: Linognathidae) of impalas, *Aepyceros melampus:* description and biology—L.A. DURDEN & I.G. HORAK 59–66

Ixodid ticks on dogs in southern Mozambique—L. NEVES, S. AFONSO & I.G. HORAK 279–283

Parasites of domestic and wild animals in South Africa. XLV. Helminths of dairy calves on dry-land Kikuyu grass pastures in the Eastern Cape Province—I.G. HORAK, URSULA EVANS & R.E. PURNELL 291–306

Striped mice, *Rhabdomys pumilio*, and other murid rodents as hosts for immature ixodid ticks in the Eastern Cape Province—T.N. PETNEY, I.G. HORAK, D.J. HOWELL & S. MEYER 313–318

Larval biology of *Rhipicephalus (Boophilus) decoloratus* (Acarina: Ixodidae) in Free State Province, South Africa—M.S. PHALATSI, L.J. FOURIE & I.G. HORAK 327–331

HORNER, R.F.

Characterization of a pigeon paramyxovirus (PPMV-1) isolated from chickens in South Africa—C. ABOLNIK, R.F. HORNER, R. MAHARAJ & G.J. VILJOEN 157–160

HOWELL, D.J.

Striped mice, *Rhabdomys pumilio*, and other murid rodents as hosts for immature ixodid ticks in the Eastern Cape Province—T.N. PETNEY, I.G. HORAK, D.J. HOWELL & S. MEYER 313–318

JACOBS, P.A.H.

A laboratory comparison of the life cycles of the dog ticks *Haemaphysalis leachi* and *Rhipicephalus sanguineus*—P.A.H. JACOBS, L.J. FOURIE & I.G. HORAK 15–28

JANSEN VAN RENSBURG, P.

The testing and modification of a commercially available transport medium for the transportation of pure cultures of *Haemophilus paragallinarum* for serotyping—R.R. BRAGG, P. JANSEN VAN RENSBURG, E. VAN HEERDEN & J. ALBERTYN 93–98

JONES, T.W.

Evaluation of isometamidium levels in the serum of sheep and goats after prophylactic treatment against trypanosomosis—J.O. WESONGAH, G.A. MURILLA, J.K. KIBUGU & T.W. JONES 175–179

JONGEJAN, F.

Endemic stability for *Theileria parva* infections in Ankole calves of the Ankole ranching scheme, Uganda—F.M. KIVARIA, C. HEUER, F. JONGEJAN, J. OKELLO-ONEN, T. RUTAGWENDA, F. UNGER & W. BOEHL 189–195

Preliminary survey of ticks (Acari: Ixodidae) on cattle in northern Sudan—D.A. SALIH, S.M. HASSAN, A.M. EL HUSSEIN & F. JONGEJAN 319–326

KAGIRA, J.M.

The prevalence of gastro-intestinal parasites in calves, sheep and goats in Magadi division, south-western Kenya—M.W. MAICHOMO, J.M. KAGIRA & T. WALKER 257–261

KAMBARAGE, D.

Cross sectional estimation of *Babesia bovis* antibody prevalence in cattle in two contrasting dairy areas in Tanzania—E.S. SWAI, E.D. KARIMURIBO, N.P. FRENCH, N.H. OGDEN, J. FITZPATRICK, D. KAMBARAGE & M.J. BRYANT 211–217

KANYARI, P.W.N.

Epidemiology of gastrointestinal helminths infections in Dorper sheep in a semi-arid area of Kenya—C.J. NG'ANG'A, N. MAINGI, W.K. MUNYUA & P.W.N. KANYARI 219–226

KARIMURIBO, E.D.

Cross sectional estimation of *Babesia bovis* antibody prevalence in cattle in two contrasting dairy areas in Tanzania—E.S. SWAI, E.D. KARIMURIBO, N.P. FRENCH, N.H. OGDEN, J. FITZPATRICK, D. KAMBARAGE & M.J. BRYANT 211–217

KER, J.

Ventricular dyssynchrony as a cause of structural disease in the heart of Dorper sheep—J. KER, E.C. WEBB & C.F. VAN DER MERWE 197–202

KIBUGO, J.K.

Evaluation of isometamidium levels in the serum of sheep and goats after prophylactic treatment against trypanosomosis—J.O. WESONGAH, G.A. MURILLA, J.K. KIBUGU & T.W. JONES 175–179

KIVARIA, F.M.

Endemic stability for *Theileria parva* infections in Ankole calves of the Ankole ranching scheme, Uganda—F.M. KIVARIA, C. HEUER, F. JONGEJAN, J. OKELLO-ONEN, T. RUTAGWENDA, F. UNGER & W. BOEHL 189–195

LATIF, A.A.

High infection rates of the tick *Hyalomma anatolicum anatolicum* with *Trypanosoma theileri*—A.A. LATIF, M.A. BAKHEIT, AMNA E. MOHAMED & E. ZWEYGARTH 251–256

LOVELACE, C.E.A.

Some observations on the sero-prevalence of heartwater and tick infestation in Zambian goats—B. AHMADU, C.E.A. LOVELACE, K.L. SAMUI & S. MAHAN 161–164

MAGONA, J.W.

Protective efficacy of isometamidium chloride and diminazene aceturate against natural *Trypanosoma brucei, Trypanosoma congolense* and *Trypanosoma vivax* infections in cattle under a suppressed tsetse population in Uganda—J.W. MAGONA, J.S.P. MAYENDE, R. OKIRIA & N.M. OKUNA 231–237

MAHAN, S.M.

The pCS20 PCR assay for *Ehrlichia ruminantium* does not cross-react with the novel deer ehrlichial agent found in white-tailed deer in the United States of America—S.M. MAHAN, B.H. SIMBI & M.J. BURRIDGE 99–105

MAHAN, S.

Some observations on the sero-prevalence of heartwater and tick infestation in Zambian goats—B. AHMADU, C.E.A. LOVELACE, K.L. SAMUI & S. MAHAN 161–164

MAHARAJ, R.

Characterization of a pigeon paramyxovirus (PPMV-1) isolated from chickens in South Africa—C. ABOLNIK, R.F. HORNER, R. MAHARAJ & G.J. VILJOEN 157–160

MAICHOMO, M.W.

The prevalence of gastro-intestinal parasites in calves, sheep and goats in Magadi division, south-western Kenya —M.W. MAICHOMO, J.M. KAGIRA & T. WALKER 257–261

MAINGI, N.

Epidemiology of gastrointestinal helminths infections in Dorper sheep in a semi-arid area of Kenya—C.J. NG'ANG'A, N. MAINGI, W.K. MUNYUA & P.W.N. KANYARI 219–226

MALAN, F.S.

Development of a novel self-medicating applicator for control of internal and external parasites of wild and domestic animals—M.J. BURRIDGE, L.A. SIMMONS, E.H. AHRENS, S.A.J. NAUDÉ & F.S. MALAN 41–51

MASELLE, R.M.

The effect of dexamethasone and promethazine in combination with buparvaquone in the management of East Coast fever—M. GWAMAKA, J.A. MATOVELO, M.M.A. MTAMBO, G.K. MBASSA, R.M. MASELLE & S. BONIPHACE 119–128

MATOVELO, J.A.

The effect of dexamethasone and promethazine in combination with buparvaquone in the management of East Coast fever—M. GWAMAKA, J.A. MATOVELO, M.M.A. MTAMBO, G.K. MBASSA, R.M. MASELLE & S. BONIPHACE 119–128

MAYENDE, J.S.P.

Protective efficacy of isometamidium chloride and diminazene aceturate against natural *Trypanosoma brucei*, *Trypanosoma congolense* and *Trypanosoma vivax* infections in cattle under a suppressed tsetse population in Uganda —J.W. MAGONA, J.S.P. MAYENDE, R. OKIRIA & N.M. OKUNA 231–237

MBASSA, G.K.

The effect of dexamethasone and promethazine in combination with buparvaquone in the management of East Coast fever—M. GWAMAKA, J.A. MATOVELO, M.M.A. MTAMBO, G.K. MBASSA, R.M. MASELLE & S. BONIPHACE 119–128

MBATI, M.P.

A sero-epidemiological survey of blood parasites in cattle in the north-eastern Free State, South Africa—M.S. MTSHALI, D.T. DE WAAL & P.A. MBATI 67–75

McCRINDLE, C.M.E.

Use of scanning electron microscopy to confirm the identity of lice infesting communally grazed goat herds—P.J. SEBEI, C.M.E. McCRINDLE, E.D. GREEN & M.L. TURNER 87–92

MEINTJES, R.H.

Changes in the renal handling of urea in sheep on a low protein diet exposed to saline drinking water—R.A. MEINTJES & H. ENGELBRECHT 165–170

MEYER, S.

Striped mice, *Rhabdomys pumilio*, and other murid rodents as hosts for immature ixodid ticks in the Eastern Cape Province—T.N. PETNEY, I.G. HORAK, D.J. HOWELL & S. MEYER 313–318

MOHAMED, AMNA E.

High infection rates of the tick *Hyalomma anatolicum anatolicum* with *Trypanosoma theileri*—A.A. LATIF, M.A. BAKHEIT, AMNA E. MOHAMED & E. ZWEYGARTH 251–256

MTAMBO, M.M.A.

The effect of dexamethasone and promethazine in combination with buparvaquone in the management of East Coast fever—M. GWAMAKA, J.A. MATOVELO, M.M.A. MTAMBO, G.K. MBASSA, R.M. MASELLE & S. BONIPHACE 119–128

MTSHALI, M.S.

A sero-epidemiological survey of blood parasites in cattle in the north-eastern Free State, South Africa—M.S. MTSHALI, D.T. DE WAAL & P.A. MBATI 67–75

MUKARATIRWA, S.

A retrospective study of the prevalence and seasonal variation of *Fasciola gigantica* in cattle slaughtered in the major abattoirs of Zimbabwe between 1990 and 1999—D.M. PFUKENYI & S. MUKARATIRWA 181–187

MUNYUA, W.K.

Epidemiology of gastrointestinal helminths infections in Dorper sheep in a semi-arid area of Kenya—C.J. NG'ANG'A, N. MAINGI, W.K. MUNYUA & P.W.N. KANYARI 219–226

MURILLA, G.A.

Evaluation of isometamidium levels in the serum of sheep and goats after prophylactic treatment against trypanosomosis—J.O. WESONGAH, G.A. MURILLA, J.K. KIBUGU & T.W. JONES 175–179

MUSHI, E.Z.

Yolk sac utilization in ostrich (*Struthio camelus*) chicks—E.Z. MUSHI, M.G. BINTA & R.G. CHABO 247–249

MUTUNE, M.N.

Effect of urea-molasses block supplementation on grazing weaner goats naturally infected with gastrointestinal nematodes—R.M. WARUIRU, J.W. NGOTHO & M.N. MUTUNE 285–289

NADZR, S.

Seasonal prevalence of bovine trypanosomosis in a tsetse-infested zone and a tsetse-free zone of the Amhara Region, north-west Ethiopia—T. CHERENET, R.A. SANI, J.M. PANANDAM, S. NADZR, N. SPEYBROECK & P. VAN DEN BOSSCHE 307–312

NAUDÉ, S.A.J.

Development of a novel self-medicating applicator for control of internal and external parasites of wild and domestic animals—M.J. BURRIDGE, L.A. SIMMONS, E.H. AHRENS, S.A.J. NAUDÉ & F.S. MALAN 41–51

NEL, H.

Towards the establishment and standardization of a veterinary antimicrobial resistance surveillance and monitoring programme in South Africa—H. NEL, M. VAN VUUREN & G.E. SWAN 239–246

NEVES, L.

Ixodid ticks on dogs in southern Mozambique—L. NEVES, S. AFONSO & I.G. HORAK 279–283

NG'ANG'A, C.J.

Epidemiology of gastrointestinal helminths infections in Dorper sheep in a semi-arid area of Kenya—C.J. NG'ANG'A, N. MAINGI, W.K. MUNYUA & P.W.N. KANYARI 219–226

NGOTHO, J.W.

Effect of urea-molasses block supplementation on grazing weaner goats naturally infected with gastrointestinal nematodes—R.M. WARUIRU, J.W. NGOTHO & M.N. MUTUNE 285–289

NÖTHLING, J.O.

Comparison of three different media for freezing of epididymal sperm from the African buffalo (*Syncerus caffer*) and influence of equilibration time on the post-thaw sperm quality—F.C. HEROLD, K. DE HAAS, D. COOPER, B. COLENBRANDER, J.O. NÖTHLING, W. THEUNISEN, B. SPILLINGS & D. GERBER 203–210

ODEMUYIWA, S.O.

Protective levels of canine distemper virus antibody in an urban dog population using plaque reduction neutralization test—O.I. OYEDELE, D.O. OLUWAYELU, S.I.B. CADMUS, S.O. ODEMUYIWA & F.D. ADU 227–230

OGDEN, N.H.

Cross sectional estimation of *Babesia bovis* antibody prevalence in cattle in two contrasting dairy areas in Tanzania—E.S. SWAI, E.D. KARIMURIBO, N.P. FRENCH, N.H. OGDEN, J. FITZPATRICK, D. KAMBARAGE & M.J. BRYANT 211–217

OKELLO-ONEN, J.

Endemic stability for *Theileria parva* infections in Ankole calves of the Ankole ranching scheme, Uganda—F.M. KIVARIA, C. HEUER, F. JONGEJAN, J. OKELLO-ONEN, T. RUTAGWENDA, F. UNGER & W. BOEHL 189–195

OKIRIA, R.

Protective efficacy of isometamidium chloride and diminazene aceturate against natural *Trypanosoma brucei, Trypanosoma congolense* and *Trypanosoma vivax* infections in cattle under a suppressed tsetse population in Uganda —J.W. MAGONA, J.S.P. MAYENDE, R. OKIRIA & N.M. OKUNA 231–237

OKUNA, N.M.

Protective efficacy of isometamidium chloride and diminazene aceturate against natural *Trypanosoma brucei, Trypanosoma congolense* and *Trypanosoma vivax* infections in cattle under a suppressed tsetse population in Uganda —J.W. MAGONA, J.S.P. MAYENDE, R. OKIRIA & N.M. OKUNA 231–237

OLUWAYELU, D.O.

Protective levels of canine distemper virus antibody in an urban dog population using plaque reduction neutralization test—O.I. OYEDELE, D.O. OLUWAYELU, S.I.B. CADMUS, S.O. ODEMUYIWA & F.D. ADU 227–230

ORTIZ, J.M.

Helminths in a giraffe (*Giraffa camelopardalis giraffa*) from a zoo in Spain—M.M. GARIJO, J.M. ORTIZ & M.R. RUIZ DE IBÁÑEZ 153–156

OYEDELE, O.I.

Protective levels of canine distemper virus antibody in an urban dog population using plaque reduction neutralization test—O.I. OYEDELE, D.O. OLUWAYELU, S.I.B. CADMUS, S.O. ODEMUYIWA & F.D. ADU 227–230

PANANDAM, J.M.

Seasonal prevalence of bovine trypanosomosis in a tsetse-infested zone and a tsetse-free zone of the Amhara Region, north-west Ethiopia—T. CHERENET, R.A. SANI, J.M. PANANDAM, S. NADZR, N. SPEYBROECK & P. VAN DEN BOSSCHE 307–312

PENZHORN, B.L.

Progression towards endemic stability to bovine babesiosis in cattle introduced onto a game ranch—ASSEFA REGASSA, B.L. PENZHORN & N.R. BRYSON 333–336

PETNEY, T.N.

Striped mice, *Rhabdomys pumilio*, and other murid rodents as hosts for immature ixodid ticks in the Eastern Cape Province—T.N. PETNEY, I.G. HORAK, D.J. HOWELL & S. MEYER 313–318

PFUKENYI, D.M.

A retrospective study of the prevalence and seasonal variation of *Fasciola gigantica* in cattle slaughtered in the major abattoirs of Zimbabwe between 1990 and 1999—D.M. PFUKENYI & S. MUKARATIRWA 181–187

PHALATSI, M.S.

Larval biology of *Rhipicephalus (Boophilus) decoloratus* (Acarina: Ixodidae) in Free State Province, South Africa—M.S. PHALATSI, L.J. FOURIE & I.G. HORAK 327–331

POLAT, U.

Reference serum protein and lipoprotein fractions of ostriches (*Struthio camelus*) in Turkey—U. POLAT, M. CETIN, O. TURKYILMAZ & A. YALCIN 77–79

PURNELL, R.E.

Parasites of domestic and wild animals in South Africa. XLV. Helminths of dairy calves on dry-land Kikuyu grass pastures in the Eastern Cape Province—I.G. HORAK, URSULA EVANS & R.E. PURNELL 291–306

PUTTERILL, J.F.

Studies on the genus Setaria Viborg, 1795 in South Africa. III. *Setaria thwaitei* Mönnig, 1933—R. WATERMEYER, J. BOOMKER & J.F. PUTTERILL 107–111

General morphology of the oral cavity of the Nile crocodile, *Crocodylus niloticus* (Laurenti, 1768). II. Tongue—J.F. PUTTERILL & J.T. SOLEY 263–277

REGASSA, ASSEFA

Progression towards endemic stability to bovine babesiosis in cattle introduced onto a game ranch—ASSEFA REGASSA, B.L. PENZHORN & N.R. BRYSON 333–336

RUIZ DE IBÁÑEZ, M.R.

Helminths in a giraffe (*Giraffa camelopardalis giraffa*) from a zoo in Spain—M.M. GARIJO, J.M. ORTIZ & M.R. RUIZ DE IBÁÑEZ 153–156

RUTAGWENDA, T.

Endemic stability for *Theileria parva* infections in Ankole calves of the Ankole ranching scheme, Uganda—F.M. KIVARIA, C. HEUER, F. JONGEJAN, J. OKELLO-ONEN, T. RUTAGWENDA, F. UNGER & W. BOEHL 189–195

SAHLE, M.

Molecular epidemiology of serotype O foot-and-mouth disease virus isolated from cattle in Ethiopia between 1979–2001—M. SAHLE, E.H. VENTER, R.M. DWARKA & W. VOSLOO 129–138

SALIH, D.A.

Preliminary survey of ticks (Acari: Ixodidae) on cattle in northern Sudan—D.A. SALIH, S.M. HASSAN, A.M. EL HUSSEIN & F. JONGEJAN 319–326

SAMUI, K.L.

Some observations on the sero-prevalence of heartwater and tick infestation in Zambian goats—B. AHMADU, C.E.A. LOVELACE, K.L. SAMUI & S. MAHAN 161–164

SANI, R.A.

Seasonal prevalence of bovine trypanosomosis in a tsetse-infested zone and a tsetse-free zone of the Amhara Region, north-west Ethiopia—T. CHERENET, R.A. SANI, J.M. PANANDAM, S. NADZR, N. SPEYBROECK & P. VAN DEN BOSSCHE 307–312

SEBEI, P.J.

Use of scanning electron microscopy to confirm the identity of lice infesting communally grazed goat herds—P.J. SEBEI, C.M.E. McCRINDLE, E.D. GREEN & M.L. TURNER 87–92

SIMBI, B.H.

The pCS20 PCR assay for *Ehrlichia ruminantium* does not cross-react with the novel deer ehrlichial agent found in white-tailed deer in the United States of America—S.M. MAHAN, B.H. SIMBI & M.J. BURRIDGE 99–105

SIMMONS, L.A.

Development of a novel self-medicating applicator for control of internal and external parasites of wild and domestic animals—M.J. BURRIDGE, L.A. SIMMONS, E.H. AHRENS, S.A.J. NAUDÉ & F.S. MALAN 41–51

SOLEY, J.T.

General morphology of the oral cavity of the Nile crocodile, *Crocodylus niloticus* (Laurenti, 1768). II. Tongue—J.F. PUTTERILL & J.T. SOLEY 263–277

SPEYBROECK, N.

Seasonal prevalence of bovine trypanosomosis in a tsetse-infested zone and a tsetse-free zone of the Amhara Region, north-west Ethiopia—T. CHERENET, R.A. SANI, J.M. PANANDAM, S. NADZR, N. SPEYBROECK & P. VAN DEN BOSSCHE 307–312

SPILLINGS, B.

Comparison of three different media for freezing of epididymal sperm from the African buffalo (*Syncerus caffer*) and influence of equilibration time on the post-thaw sperm quality—F.C. HEROLD, K. DE HAAS, D. COOPER, B. COLENBRANDER, J.O. NÖTHLING, W. THEUNISEN, B. SPILLINGS & D. GERBER 203–210

SWAI, E.S.

Cross sectional estimation of *Babesia bovis* antibody prevalence in cattle in two contrasting dairy areas in Tanzania—E.S. SWAI, E.D. KARIMURIBO, N.P. FRENCH, N.H. OGDEN, J. FITZPATRICK, D. KAMBARAGE & M.J. BRYANT 211–217

SWAN, G.E.

Towards the establishment and standardization of a veterinary antimicrobial resistance surveillance and monitoring programme in South Africa—H. NEL, M. VAN VUUREN & G.E. SWAN 239–246

TAJBHAI, K.M.

Psittacine beak and feather disease virus in budgerigars and ring-neck parakeets in South Africa—J. ALBERTYN, K.M. TAJBHAI & R.R. BRAGG 29–34

TAYLOR, W.A.

Parasites of South African wildlife. XVIII. *Cooperia pigachei* n. sp. (Nematoda: Cooperiidae) from the mountain reedbuck, *Redunca fulvorufula* (Afzelius, 1815)—J. BOOMKER & W.A. TAYLOR 171–174

THEUNISEN, W.

Comparison of three different media for freezing of epididymal sperm from the African buffalo (*Syncerus caffer*) and influence of equilibration time on the post-thaw sperm quality—F.C. HEROLD, K. DE HAAS, D. COOPER, B. COLENBRANDER, J.O. NÖTHLING, W. THEUNISEN, B. SPILLINGS & D. GERBER 203–210

TROSKIE, P.C.

Effect of diminazene block treatment on live redwater vaccine reactions—M.P. COMBRINK & P.C. TROSKIE ... 113–117

TURKYILMAZ, O.

Reference serum protein and lipoprotein fractions of ostriches (*Struthio camelus*) in Turkey—U. POLAT, M. CETIN, O. TURKYILMAZ & A. YALCIN 77–79

TURNER, M.L.

Use of scanning electron microscopy to confirm the identity of lice infesting communally grazed goat herds—P.J. SEBEI, C.M.E. McCRINDLE, E.D. GREEN & M.L. TURNER 87–92

UNGER, F.

Endemic stability for *Theileria parva* infections in Ankole calves of the Ankole ranching scheme, Uganda—F.M. KIVARIA, C. HEUER, F. JONGEJAN, J. OKELLO-ONEN, T. RUTAGWENDA, F. UNGER & W. BOEHL 189–195

VAN DEN BOSSCHE, P.

Seasonal prevalence of bovine trypanosomosis in a tsetse-infested zone and a tsetse-free zone of the Amhara Region, north-west Ethiopia—T. CHERENET, R.A. SANI, J.M. PANANDAM, S. NADZR, N. SPEYBROECK & P. VAN DEN BOSSCHE 307–312

VAN DER MERWE, C.F.

Ventricular dyssynchrony as a cause of structural disease in the heart of Dorper sheep—J. KER, E.C. WEBB & C.F. VAN DER MERWE 197–202

VAN HEERDEN, E.

The testing and modification of a commercially available transport medium for the transportation of pure cultures of *Haemophilus paragallinarum* for serotyping—R.R. BRAGG, P. JANSEN VAN RENSBURG, E. VAN HEERDEN & J. ALBERTYN 93–98

Genetic organisation of the capsule transport gene region from *Haemophilus paragallinarum*—O. DE SMIDT, J. ALBERTYN, R.R. BRAGG & E. VAN HEERDEN 139–152

VAN VUUREN, M.

Towards the establishment and standardization of a veterinary antimicrobial resistance surveillance and monitoring programme in South Africa—H. NEL, M. VAN VUUREN & G.E. SWAN 239–246

VENTER, E.H.

Molecular epidemiology of serotype O foot-and-mouth disease virus isolated from cattle in Ethiopia between 1979–2001—M. SAHLE, E.H. VENTER, R.M. DWARKA & W. VOSLOO 129–138

VILJOEN, G.J.

Characterization of a pigeon paramyxovirus (PPMV-1) isolated from chickens in South Africa—C. ABOLNIK, R.F. HORNER, R. MAHARAJ & G.J. VILJOEN 157–160

VOSLOO, W.

Molecular epidemiology of serotype O foot-and-mouth disease virus isolated from cattle in Ethiopia between 1979–2001—M. SAHLE, E.H. VENTER, R.M. DWARKA & W. VOSLOO 129–138

WALKER, T.

The prevalence of gastro-intestinal parasites in calves, sheep and goats in Magadi division, south-western Kenya —M.W. MAICHOMO, J.M. KAGIRA & T. WALKER 257–261

WARUIRU, R.M.

Effect of urea-molasses block supplementation on grazing weaner goats naturally infected with gastrointestinal nematodes—R.M. WARUIRU, J.W. NGOTHO & M.N. MUTUNE 285–289

WATERMEYER, R.

Studies on the genus *Setaria Viborg*, 1795 in South Africa. III. *Setaria thwaitei* Mönnig, 1933—R. WATERMEYER, J. BOOMKER & J.F. PUTTERILL 107–111

WEBB, E.C.

Ventricular dyssynchrony as a cause of structural disease in the heart of Dorper sheep—J. KER, E.C. WEBB & C.F. VAN DER MERWE 197–202

WESONGAH, J.O.

Evaluation of isometamidium levels in the serum of sheep and goats after prophylactic treatment against trypanosomosis—J.O. WESONGAH, G.A. MURILLA, J.K. KIBUGU & T.W. JONES 175–179

YALCIN, A.

Reference serum protein and lipoprotein fractions of ostriches (*Struthio camelus*) in Turkey—U. POLAT, M. CETIN, O. TURKYILMAZ & A. YALCIN 77–79

ZWEYGARTH, E.

High infection rates of the tick *Hyalomma anatolicum anatolicum* with *Trypanosoma theileri*—A.A. LATIF, M.A. BAKHEIT, AMNA E. MOHAMED & E. ZWEYGARTH 251–256

ONDERSTEPOORT JOURNAL OF VETERINARY RESEARCH

Volume 71 • Numbers 1–4 • 2004

Subject index

Acari: Ixodidae

Preliminary survey of ticks (Acari: Ixodidae) on cattle in northern Sudan—D.A. SALIH, S.M. HASSAN, A.M. EL HUSSEIN & F. JONGEJAN 319–326

Acarina: Ixodidae

Larval biology of *Rhipicephalus (Boophilus) decoloratus* (Acarina: Ixodidae) in Free State Province, South Africa—M.S. PHALATSI, L.J. FOURIE & I.G. HORAK 327–331

Aepyceros melampus

Linognathus weisseri n. sp. (Phthiraptera: Linognathidae) of impalas, *Aepyceros melampus*: description and biology—L.A. DURDEN & I.G. HORAK 59–66

African buffalo

Comparison of three different media for freezing of epididymal sperm from the African buffalo (*Syncerus caffer*) and influence of equilibration time on the post-thaw sperm quality—F.C. HEROLD, K. DE HAAS, D. COOPER, B. COLENBRANDER, J.O. NÖTHLING, W. THEUNISEN, B. SPILLINGS & D. GERBER 203–210

Amblyomma variegatum

Some observations on the sero-prevalence of heartwater and tick infestation in Zambian goats—B. AHMADU, C.E.A. LOVELACE, K.L. SAMUI & S. MAHAN 161–164

Anaplasma

A sero-epidemiological survey of blood parasites in cattle in the north-eastern Free State, South Africa—M.S. MTSHALI, D.T. DE WAAL & P.A. MBATI 67–75

Antimicrobial resistance

Towards the establishment and standardization of a veterinary antimicrobial resistance surveillance and monitoring programme in South Africa—H. NEL, M. VAN VUUREN & G.E. SWAN 239–246

***Babesia bigemina, Babesia bovis*, babesiosis**

A sero-epidemiological survey of blood parasites in cattle in the north-eastern Free State, South Africa—M.S. MTSHALI, D.T. DE WAAL & P.A. MBATI 67–75

Effect of diminazene block treatment on live redwater vaccine reactions—M.P. COMBRINK & P.C. TROSKIE 113–117

Progression towards endemic stability to bovine babesiosis in cattle introduced onto a game ranch—ASSEFA REGASSA, B.L. PENZHORN & N.R. BRYSON 333–336

Cross sectional estimation of *Babesia bovis* antibody prevalence in cattle in two contrasting dairy areas in Tanzania—E.S. SWAI, E.D. KARIMURIBO, N.P. FRENCH, N.H. OGDEN, J. FITZPATRICK, D. KAMBARAGE & M.J. BRYANT 211–217

Bovicola

Use of scanning electron microscopy to confirm the identity of lice infesting communally grazed goat herds—P.J. SEBEI, C.M.E. McCRINDLE, E.D. GREEN & M.L. TURNER 87–92

Budgerigars

Psittacine beak and feather disease virus in budgerigars and ring-neck parakeets in South Africa—J. ALBERTYN, K.M. TAJBHAI & R.R. BRAGG 29–34

Buparvaquone

The effect of dexamethasone and promethazine in combination with buparvaquone in the management of East Coast fever—M. GWAMAKA, J.A. MATOVELO, M.M.A. MTAMBO, G.K. MBASSA, R.M. MASELLE & S. BONIPHACE 119–128

Canine distemper virus

Protective levels of canine distemper virus antibody in an urban dog population using plaque reduction neutralization test—O.I. OYEDELE, D.O. OLUWAYELU, S.I.B. CADMUS, S.O. ODEMUYIWA & F.D. ADU 227–230

Capsular transport gene

Genetic organisation of the capsule transport gene region from *Haemophilus paragallinarum*—O. DE SMIDT, J. ALBERTYN, R.R. BRAGG & E. VAN HEERDEN 139–152

Carnivores

Parasites of domestic and wild animals in South Africa. XLIV. Fleas (Insecta: Siphonaptera: Pulicidae) collected from 15 carnivore species—I.G. HORAK, J-C. BEAUCOURNU & L.E.O. BRAACK 9–14

Catfish

The occurrence of *Contracaecum* sp. larvae (Nematoda: Anisakidae) in the catfish, *Clarias gariepinus* (Burchell) from Lake Chivero, Zimbabwe—M. BARSON 35–39

Cattle

Development of a novel self-medicating applicator for control of internal and external parasites of wild and domestic animals—M.J. BURRIDGE, L.A. SIMMONS, E.H. AHRENS, S.A.J. NAUDÉ & F.S. MALAN 41–51

A sero-epidemiological survey of blood parasites in cattle in the north-eastern Free State, South Africa—M.S. MTSHALI, D.T. DE WAAL & P.A. MBATI 67–75

A retrospective study of the prevalence and seasonal variation of *Fasciola gigantica* in cattle slaughtered in the major abattoirs of Zimbabwe between 1990 and 1999—D.M. PFUKENYI & S. MUKARATIRWA 181–187

Endemic stability for *Theileria parva* infections in Ankole calves of the Ankole ranching scheme, Uganda—F.M. KIVARIA, C. HEUER, F. JONGEJAN, J. OKELLO-ONEN, T. RUTAGWENDA, F. UNGER & W. BOEHL 189–195

Cross sectional estimation of *Babesia bovis* antibody prevalence in cattle in two contrasting dairy areas in Tanzania —E.S. SWAI, E.D. KARIMURIBO, N.P. FRENCH, N.H. OGDEN, J. FITZPATRICK, D. KAMBARAGE & M.J. BRYANT 211–217

Protective efficacy of isometamidium chloride and diminazene aceturate against natural *Trypanosoma brucei, Trypanosoma congolense* and *Trypanosoma vivax* infections in cattle under a suppressed tsetse population in Uganda —J.W. MAGONA, J.S.P. MAYENDE, R. OKIRIA & N.M. OKUNA 231–237

The prevalence of gastro-intestinal parasites in calves, sheep and goats in Magadi division, south-western Kenya—M.W. MAICHOMO, J.M. KAGIRA & T. WALKER 257–261

Parasites of domestic and wild animals in South Africa. XLV. Helminths of dairy calves on dry-land Kikuyu grass pastures in the Eastern Cape Province—I.G. HORAK, URSULA EVANS & R.E. PURNELL 291–306

Preliminary survey of ticks (Acari: Ixodidae) on cattle in northern Sudan—D.A. SALIH, S.M. HASSAN, A.M. EL HUSSEIN & F. JONGEJAN 319–326

Progression towards endemic stability to bovine babesiosis in cattle introduced onto a game ranch—ASSEFA REGASSA, B.L. PENZHORN & N.R. BRYSON 333–336

Chickens

Characterization of a pigeon paramyxovirus (PPMV-1) isolated from chickens in South Africa—C. ABOLNIK, R.F. HORNER, R. MAHARAJ & G.J. VILJOEN 157–160

Clarias gariepinus

The occurrence of *Contracaecum* sp. larvae (Nematoda: Anisakidae) in the catfish, *Clarias gariepinus* (Burchell) from Lake Chivero, Zimbabwe—M. BARSON 35–39

Coccidia

The prevalence of gastro-intestinal parasites in calves, sheep and goats in Magadi division, south-western Kenya—M.W. MAICHOMO, J.M. KAGIRA & T. WALKER 257–261

Contracaecum

The occurrence of *Contracaecum* sp. larvae (Nematoda: Anisakidae) in the catfish, *Clarias gariepinus* (Burchell) from Lake Chivero, Zimbabwe—M. BARSON 35–39

Cooperia pigachei

Parasites of South African wildlife. XVIII. *Cooperia pigachei* n. sp. (Nematoda: Cooperiidae) from the mountain reedbuck, *Redunca fulvorufula* (Afzelius, 1815)—J. BOOMKER & W.A. TAYLOR 171–174

***Cooperia* spp.**

Parasites of domestic and wild animals in South Africa. XLV. Helminths of dairy calves on dry-land Kikuyu grass pastures in the Eastern Cape Province—I.G. HORAK, URSULA EVANS & R.E. PURNELL 291–306

Crocodylus niloticus

General morphology of the oral cavity of the Nile crocodile, *Crocodylus niloticus* (Laurenti, 1768). II. Tongue—J.F. PUTTERILL & J.T. SOLEY 263–277

Deer

Development of a novel self-medicating applicator for control of internal and external parasites of wild and domestic animals—M.J. BURRIDGE, L.A. SIMMONS, E.H. AHRENS, S.A.J. NAUDÉ & F.S. MALAN 41–51

The pCS20 PCR assay for *Ehrlichia ruminantium* does not cross-react with the novel deer ehrlichial agent found in white-tailed deer in the United States of America—S.M. MAHAN, B.H. SIMBI & M.J. BURRIDGE 99–105

Dexamethasone

The effect of dexamethasone and promethazine in combination with buparvaquone in the management of East Coast fever—M. GWAMAKA, J.A. MATOVELO, M.M.A. MTAMBO, G.K. MBASSA, R.M. MASELLE & S. BONIPHACE 119–128

Dogs

A laboratory comparison of the life cycles of the dog ticks *Haemaphysalis leachi* and *Rhipicephalus sanguineus*—P.A.H. JACOBS, L.J. FOURIE & I.G. HORAK 15–28

Protective levels of canine distemper virus antibody in an urban dog population using plaque reduction neutralization test—O.I. OYEDELE, D.O. OLUWAYELU, S.I.B. CADMUS, S.O. ODEMUYIWA & F.D. ADU 227–230

Ixodid ticks on dogs in southern Mozambique—L. NEVES, S. AFONSO & I.G. HORAK 279–283

East Coast fever

The effect of dexamethasone and promethazine in combination with buparvaquone in the management of East Coast fever—M. GWAMAKA, J.A. MATOVELO, M.M.A. MTAMBO, G.K. MBASSA, R.M. MASELLE & S. BONIPHACE 119–128

Endemic stability for *Theileria parva* infections in Ankole calves of the Ankole ranching scheme, Uganda—F.M. KIVARIA, C. HEUER, F. JONGEJAN, J. OKELLO-ONEN, T. RUTAGWENDA, F. UNGER & W. BOEHL 189–195

Ehrlichia ruminantium

The pCS20 PCR assay for *Ehrlichia ruminantium* does not cross-react with the novel deer ehrlichial agent found in white-tailed deer in the United States of America—S.M. MAHAN, B.H. SIMBI & M.J. BURRIDGE 99–105

Some observations on the sero-prevalence of heartwater and tick infestation in Zambian goats—B. AHMADU, C.E.A. LOVELACE, K.L. SAMUI & S. MAHAN 161–164

ELISA

A sero-epidemiological survey of blood parasites in cattle in the north-eastern Free State, South Africa—M.S. MTSHALI, D.T. DE WAAL & P.A. MBATI 67–75

Evaluation of isometamidium levels in the serum of sheep and goats after prophylactic treatment against trypanosomosis—J.O. WESONGAH, G.A. MURILLA, J.K. KIBUGU & T.W. JONES 175–179

Ethiopia

Molecular epidemiology of serotype O foot-and-mouth disease virus isolated from cattle in Ethiopia between 1979–2001—M. SAHLE, E.H. VENTER, R.M. DWARKA & W. VOSLOO 129–138

Seasonal prevalence of bovine trypanosomosis in a tsetse-infested zone and a tsetse-free zone of the Amhara Region, north-west Ethiopia—T. CHERENET, R.A. SANI, J.M. PANANDAM, S. NADZR, N. SPEYBROECK & P. VAN DEN BOSSCHE 307–312

Fasciola gigantica

A retrospective study of the prevalence and seasonal variation of *Fasciola gigantica* in cattle slaughtered in the major abattoirs of Zimbabwe between 1990 and 1999—D.M. PFUKENYI & S. MUKARATIRWA 181–187

Fleas

Parasites of domestic and wild animals in South Africa. XLIV. Fleas (Insecta: Siphonaptera: Pulicidae) collected from 15 carnivore species—I.G. HORAK, J-C. BEAUCOURNU & L.E.O. BRAACK 9–14

Flies

Development of a novel self-medicating applicator for control of internal and external parasites of wild and domestic animals—M.J. BURRIDGE, L.A. SIMMONS, E.H. AHRENS, S.A.J. NAUDÉ & F.S. MALAN 41–51

Seasonal prevalence of bovine trypanosomosis in a tsetse-infested zone and a tsetse-free zone of the Amhara Region, north-west Ethiopia—T. CHERENET, R.A. SANI, J.M. PANANDAM, S. NADZR, N. SPEYBROECK & P. VAN DEN BOSSCHE 307–312

Foot-and-mouth disease virus

Molecular epidemiology of serotype O foot-and-mouth disease virus isolated from cattle in Ethiopia between 1979–2001—M. SAHLE, E.H. VENTER, R.M. DWARKA & W. VOSLOO 129–138

Giraffa camelopardalis giraffa

Helminths in a giraffe (*Giraffa camelopardalis giraffa*) from a zoo in Spain—M.M. GARIJO, J.M. ORTIZ & M.R. RUIZ DE IBÁÑEZ 153–156

Goats

Use of scanning electron microscopy to confirm the identity of lice infesting communally grazed goat herds—P.J. SEBEI, C.M.E. McCRINDLE, E.D. GREEN & M.L. TURNER 87–92

Some observations on the sero-prevalence of heartwater and tick infestation in Zambian goats—B. AHMADU, C.E.A. LOVELACE, K.L. SAMUI & S. MAHAN 161–164

Evaluation of isometamidium levels in the serum of sheep and goats after prophylactic treatment against trypanosomosis—J.O. WESONGAH, G.A. MURILLA, J.K. KIBUGU & T.W. JONES 175–179

The prevalence of gastro-intestinal parasites in calves, sheep and goats in Magadi division, south-western Kenya—M.W. MAICHOMO, J.M. KAGIRA & T. WALKER 257–261

Effect of urea-molasses block supplementation on grazing weaner goats naturally infected with gastro-intestinal nematodes—R.M. WARUIRU, J.W. NGOTHO & M.N. MUTUNE 285–289

Haemaphysalis leachi

A laboratory comparison of the life cycles of the dog ticks *Haemaphysalis leachi* and *Rhipicephalus sanguineus*—P.A.H. JACOBS, L.J. FOURIE & I.G. HORAK 15–28

Haemonchus contortus

Effect of urea-molasses block supplementation on grazing weaner goats naturally infected with gastro-intestinal nematodes—R.M. WARUIRU, J.W. NGOTHO & M.N. MUTUNE 285–289

Haemonchus placei

Parasites of domestic and wild animals in South Africa. XLV. Helminths of dairy calves on dry-land Kikuyu grass pastures in the Eastern Cape Province—I.G. HORAK, URSULA EVANS & R.E. PURNELL 291–306

Haemophilus paragallinarum

Limitation of the spread and impact of infectious coryza through the use of a continuous disinfection programme—R.R. BRAGG 1–8

Evidence of possible evasion of protective immunity by NAD-independent isolates of *Haemophilus paragallinarum* in poultry—R.R. BRAGG 53–58

The testing and modification of a commercially available transport medium for the transportation of pure cultures of *Haemophilus paragallinarum* for serotyping—R.R. BRAGG, P. JANSEN VAN RENSBURG, E. VAN HEERDEN & J. ALBERTYN 93–98

Genetic organisation of the capsule transport gene region from *Haemophilus paragallinarum*—O. DE SMIDT, J. ALBERTYN, R.R. BRAGG & E. VAN HEERDEN 139–152

Heart

Ventricular dyssynchrony as a cause of structural disease in the heart of Dorper sheep—J. KER, E.C. WEBB & C.F. VAN DER MERWE 197–202

Heartwater

The pCS20 PCR assay for *Ehrlichia ruminantium* does not cross-react with the novel deer ehrlichial agent found in white-tailed deer in the United States of America—S.M. MAHAN, B.H. SIMBI & M.J. BURRIDGE 99–105

Some observations on the sero-prevalence of heartwater and tick infestation in Zambian goats—B. AHMADU, C.E.A. LOVELACE, K.L. SAMUI & S. MAHAN 161–164

Helminths

Helminths in a giraffe (*Giraffa camelopardalis giraffa*) from a zoo in Spain—M.M. GARIJO, J.M. ORTIZ & M.R. RUIZ DE IBÁÑEZ 153–156

Epidemiology of gastrointestinal helminths infections in Dorper sheep in a semi-arid area of Kenya—C.J. NG'ANG'A, N. MAINGI, W.K. MUNYUA & P.W.N. KANYARI 219–226

The prevalence of gastro-intestinal parasites in calves, sheep and goats in Magadi division, south-western Kenya—M.W. MAICHOMO, J.M. KAGIRA & T. WALKER 257–261

Hyalomma anatolicum anatolicum

High infection rates of the tick *Hyalomma anatolicum anatolicum* with *Trypanosoma theileri*—A.A. LATIF, M.A. BAKHEIT, AMNA E. MOHAMED & E. ZWEYGARTH 251–256

IFAT

A sero-epidemiological survey of blood parasites in cattle in the north-eastern Free State, South Africa—M.S. MTSHALI, D.T. DE WAAL & P.A. MBATI 67–75

Impalas

Linognathus weisseri n. sp. (Phthiraptera: Linognathidae) of impalas, *Aepyceros melampus*: description and biology—L.A. DURDEN & I.G. HORAK 59–66

Infectious coryza

Limitation of the spread and impact of infectious coryza through the use of a continuous disinfection programme—R.R. BRAGG 1–8

The testing and modification of a commercially available transport medium for the transportation of pure cultures of *Haemophilus paragallinarum* for serotyping—R.R. BRAGG, P. JANSEN VAN RENSBURG, E. VAN HEERDEN & J. ALBERTYN 93–98

Genetic organisation of the capsule transport gene region from *Haemophilus paragallinarum*—O. DE SMIDT, J. ALBERTYN, R.R. BRAGG & E. VAN HEERDEN 139–152

Kenya

Epidemiology of gastrointestinal helminths infections in Dorper sheep in a semi-arid area of Kenya—C.J. NG'ANG'A, N. MAINGI, W.K. MUNYUA & P.W.N. KANYARI 219–226

Effect of urea-molasses block supplementation on grazing weaner goats naturally infected with gastro-intestinal nematodes—R.M. WARUIRU, J.W. NGOTHO & M.N. MUTUNE 285–289

Kidney

Changes in the renal handling of urea in sheep on a low protein diet exposed to saline drinking water—R.A. MEINTJES & H. ENGELBRECHT 165–170

Lice

Linognathus weisseri n. sp. (Phthiraptera: Linognathidae) of impalas, *Aepyceros melampus*: description and biology—L.A. DURDEN & I.G. HORAK 59–66

Use of scanning electron microscopy to confirm the identity of lice infesting communally grazed goat herds—P.J. SEBEI, C.M.E. McCRINDLE, E.D. GREEN & M.L. TURNER 87–92

Linognathus africanus

Use of scanning electron microscopy to confirm the identity of lice infesting communally grazed goat herds—P.J. SEBEI, C.M.E. McCRINDLE, E.D. GREEN & M.L. TURNER 87–92

Linognathus weisseri

Linognathus weisseri n. sp. (Phthiraptera: Linognathidae) of impalas, *Aepyceros melampus*: description and biology—L.A. DURDEN & I.G. HORAK 59–66

Live redwater vaccine

Effect of diminazene block treatment on live redwater vaccine reactions—M.P. COMBRINK & P.C. TROSKIE 113–117

Mice

Striped mice, *Rhabdomys pumilio*, and other murid rodents as hosts for immature ixodid ticks in the Eastern Cape Province—T.N. PETNEY, I.G. HORAK, D.J. HOWELL & S. MEYER 313–318

Mountain reedbuck

Parasites of South Africa wildlife. XVIII. *Cooperia pigachei* n. sp. (Nematoda: Cooperiidae) from the mountain reedbuck, *Redunca fulvorufula* (Afzelius, 1815)—J. BOOMKER & W.A. TAYLOR 171–174

Mozambique

Ixodid ticks on dogs in southern Mozambique—L. NEVES, S. AFONSO & I.G. HORAK 279–283

NAD-independent isolates

Evidence of possible evasion of protective immunity by NAD-independent isolates of *Haemophilus paragallinarum* in poultry—R.R. BRAGG 53–58

Nematoda: Cooperiidae

Parasites of South African wildlife. XVIII. *Cooperia pigachei* n. sp. (Nematoda: Cooperiidae) from the mountain reedbuck, *Redunca fulvorufula* (Afzelius, 1815)—J. BOOMKER & W.A. TAYLOR 171–174

Nematoda: Anisakidae

The occurrence of *Contracaecum* sp. larvae (Nematoda: Anisakidae) in the catfish, *Clarias gariepinus* (Burchell) from Lake Chivero, Zimbabwe—M. BARSON 35–39

Nematodes

Development of a novel self-medicating applicator for control of internal and external parasites of wild and domestic animals—M.J. BURRIDGE, L.A. SIMMONS, E.H. AHRENS, S.A.J. NAUDÉ & F.S. MALAN 41–51

Studies on the genus *Setaria* Viborg, 1795 in South Africa. III. *Setaria thwaitei* Mönnig, 1933—R. WATERMEYER, J. BOOMKER & J.F. PUTTERILL 107–111

Helminths in a giraffe (*Giraffa camelopardalis giraffa*) from a zoo in Spain—M.M. GARIJO, J.M. ORTIZ & M.R. RUIZ DE IBÁÑEZ 153–156

Effect of urea-molasses block supplementation on grazing weaner goats naturally infected with gastro-intestinal nematodes—R.M. WARUIRU, J.W. NGOTHO & M.N. MUTUNE 285–289

Nematodirus helvetianus

Parasites of domestic and wild animals in South Africa. XLV. Helminths of dairy calves on dry-land Kikuyu grass pastures in the Eastern Cape Province—I.G. HORAK, URSULA EVANS & R.E. PURNELL 291–306

Newcastle disease virus

Characterization of a pigeon paramyxovirus (PPMV-1) isolated from chickens in South Africa—C. ABOLNIK, R.F. HORNER, R. MAHARAJ & G.J. VILJOEN 157–160

Nigeria

Protective levels of canine distemper virus antibody in an urban dog population using plaque reduction neutralization test—O.I. OYEDELE, D.O. OLUWAYELU, S.I.B. CADMUS, S.O. ODEMUYIWA & F.D. ADU 227–230

Nile crocodile

General morphology of the oral cavity of the Nile crocodile, *Crocodylus niloticus* (Laurenti, 1768). II. Tongue—J.F. PUTTERILL & J.T. SOLEY 263–277

***Oesophagostomum* spp.**

Parasites of domestic and wild animals in South Africa. XLV. Helminths of dairy calves on dry-land Kikuyu grass pastures in the Eastern Cape Province—I.G. HORAK, URSULA EVANS & R.E. PURNELL 291–306

Ostertagia ostertagi

Parasites of domestic and wild animals in South Africa. XLV. Helminths of dairy calves on dry-land Kikuyu grass pastures in the Eastern Cape Province—I.G. HORAK, URSULA EVANS & R.E. PURNELL 291–306

Ostrich

Reference serum protein and lipoprotein fractions of ostriches (*Struthio camelus*) in Turkey—U. POLAT, M. CETIN, O. TURKYILMAZ & A. YALCIN 77–79

Yolk sac utilization in ostrich (*Struthio camelus*) chicks—E.Z. MUSHI, M.G. BINTA & R.G. CHABO 247–249

Parasites

Parasites of domestic and wild animals in South Africa. XLIV. Fleas (Insecta: Siphonaptera: Pulicidae) collected from 15 carnivore species—I.G. HORAK, J-C. BEAUCOURNU & L.E.O. BRAACK 9–14

The occurrence of *Contracaecum* sp. larvae (Nematoda: Anisakidae) in the catfish, *Clarias gariepinus* (Burchell) from Lake Chivero, Zimbabwe—M. BARSON 35–39

Development of a novel self-medicating applicator for control of internal and external parasites of wild and domestic animals—M.J. BURRIDGE, L.A. SIMMONS, E.H. AHRENS, S.A.J. NAUDÉ & F.S. MALAN 41–51

A sero-epidemiological survey of blood parasites in cattle in the north-eastern Free State, South Africa—M.S. MTSHALI, D.T. DE WAAL & P.A. MBATI 67–75

Parasites of South African wildlife. XVIII. *Cooperia pigachei* n. sp. (Nematoda: Cooperiidae) from the mountain reedbuck, *Redunca fulvorufula* (Afzelius, 1815)—J. BOOMKER & W.A. TAYLOR 171–174

The prevalence of gastro-intestinal parasites in calves, sheep and goats in Magadi division, south-western Kenya—M.W. MAICHOMO, J.M. KAGIRA & T. WALKER 257–261

PCR

The pCS20 PCR assay for *Ehrlichia ruminantium* does not cross-react with the novel deer ehrlichial agent found in white-tailed deer in the United States of America—S.M. MAHAN, B.H. SIMBI & M.J. BURRIDGE 99–105

pCS20 sequence

The pCS20 PCR assay for *Ehrlichia ruminantium* does not cross-react with the novel deer ehrlichial agent found in white-tailed deer in the United States of America—S.M. MAHAN, B.H. SIMBI & M.J. BURRIDGE 99–105

Phthiraptera

Linognathus weisseri n. sp. (Phthiraptera: Linognathidae) of impalas, *Aepyceros melampus*: description and biology—L.A. DURDEN & I.G. HORAK 59–66

Pigeon paramyxovirus

Characterization of a pigeon paramyxovirus (PPMV-1) isolated from chickens in South Africa—C. ABOLNIK, R.F. HORNER, R. MAHARAJ & G.J. VILJOEN 157–160

Plaque reduction neutralization (PRN)

Protective levels of canine distemper virus antibody in an urban dog population using plaque reduction neutralization test—O.I. OYEDELE, D.O. OLUWAYELU, S.I.B. CADMUS, S.O. ODEMUYIWA & F.D. ADU 227–230

Poultry

Evidence of possible evasion of protective immunity by NAD-independent isolates of *Haemophilus paragallinarum* in poultry—R.R. BRAGG 53–58

Promethazine

The effect of dexamethasone and promethazine in combination with buparvaquone in the management of East Coast fever—M. GWAMAKA, J.A. MATOVELO, M.M.A. MTAMBO, G.K. MBASSA, R.M. MASELLE & S. BONIPHACE 119–128

Psittacine beak and feather disease virus (PBFDV)

Psittacine beak and feather disease virus in budgerigars and ring-neck parakeets in South Africa—J. ALBERTYN, K.M. TAJBHAI & R.R. BRAGG 29–34

Pulicidae

Parasites of domestic and wild animals in South Africa. XLIV. Fleas (Insecta: Siphonaptera: Pulicidae) collected from 15 carnivore species—I.G. HORAK, J-C. BEAUCOURNU & L.E.O. BRAACK 9–14

Pulmonary oedema

The effect of dexamethasone and promethazine in combination with buparvaquone in the management of East Coast fever—M. GWAMAKA, J.A. MATOVELO, M.M.A. MTAMBO, G.K. MBASSA, R.M. MASELLE & S. BONIPHACE 119–128

Red Ovine Freezing Buffer

Comparison of three different media for freezing of epididymal sperm from the African buffalo (*Syncerus caffer*) and influence of equilibration time on the post-thaw sperm quality—F.C. HEROLD, K. DE HAAS, D. COOPER, B. COLENBRANDER, J.O. NÖTHLING, W. THEUNISEN, B. SPILLINGS & D. GERBER 203–210

Redunca fulvorufula

Parasites of South African wildlife. XVIII. *Cooperia pigachei* n. sp. (Nematoda: Cooperiidae) from the mountain reedbuck, *Redunca fulvorufula* (Afzelius, 1815)—J. BOOMKER & W.A. TAYLOR 171–174

Redwater

Progression towards endemic stability to bovine babesiosis in cattle introduced onto a game ranch—ASSEFA REGASSA, B.L. PENZHORN & N.R. BRYSON 333–336

Rhabdomys pumilio

Striped mice, *Rhabdomys pumilio*, and other murid rodents as hosts for immature ixodid ticks in the Eastern Cape Province—T.N. PETNEY, I.G. HORAK, D.J. HOWELL & S. MEYER 313–318

Rhipicephalus (Boophilus) decoloratus

Larval biology of *Rhipicephalus (Boophilus) decoloratus* (Acarina: Ixodidae) in Free State Province, South Africa—M.S. PHALATSI, L.J. FOURIE & I.G. HORAK 327–331

Rhipicephalus follis

Striped mice, *Rhabdomys pumilio*, and other murid rodents as hosts for immature ixodid ticks in the Eastern Cape Province—T.N. PETNEY, I.G. HORAK, D.J. HOWELL & S. MEYER 313–318

Rhipicephalus sanguineus

A laboratory comparison of the life cycles of the dog ticks *Haemaphysalis leachi* and *Rhipicephalus sanguineus*—P.A.H. JACOBS, L.J. FOURIE & I.G. HORAK 15–28

Rhipicephalus simus

Striped mice, *Rhabdomys pumilio*, and other murid rodents as hosts for immature ixodid ticks in the Eastern Cape Province—T.N. PETNEY, I.G. HORAK, D.J. HOWELL & S. MEYER 313–318

Ring-neck parakeets

Psittacine beak and feather disease virus in budgerigars and ring-neck parakeets in South Africa—J. ALBERTYN, K.M. TAJBHAI & R.R. BRAGG 29–34

Rodents

Striped mice, *Rhabdomys pumilio*, and other murid rodents as hosts for immature ixodid ticks in the Eastern Cape Province—T.N. PETNEY, I.G. HORAK, D.J. HOWELL & S. MEYER 313–318

Saline drinking water

Changes in the renal handling of urea in sheep on a low protein diet exposed to saline drinking water—R.A. MEINTJES & H. ENGELBRECHT 165–170

Scanning electron microscopy

General morphology of the oral cavity of the Nile crocodile, *Crocodylus niloticus* (Laurenti, 1768). II. Tongue—J.F. PUTTERILL & J.T. SOLEY 263–277

Serotype O

Molecular epidemiology of serotype O foot-and-mouth disease virus isolated from cattle in Ethiopia between 1979–2001—M. SAHLE, E.H. VENTER, R.M. DWARKA & W. VOSLOO 129–138

Setaria thwaitei

Studies on the genus *Setaria* Viborg, 1795 in South Africa. III. *Setaria thwaitei* Mönnig, 1933—R. WATERMEYER, J. BOOMKER & J.F. PUTTERILL 107–111

Sheep

Changes in the renal handling of urea in sheep on a low protein diet exposed to saline drinking water—R.A. MEINTJES & H. ENGELBRECHT 165–170

Epidemiology of gastrointestinal helminths infections in Dorper sheep in a semi-arid area of Kenya—C.J. NG'ANG'A, N. MAINGI, W.K. MUNYUA & P.W.N. KANYARI 219–226

Evaluation of isometamidium levels in the serum of sheep and goats after prophylactic treatment against trypanosomosis—J.O. WESONGAH, G.A. MURILLA, J.K. KIBUGU & T.W. JONES 175–179

The prevalence of gastro-intestinal parasites in calves, sheep and goats in Magadi division, south-western Kenya—M.W. MAICHOMO, J.M. KAGIRA & T. WALKER 257–261

Ventricular dyssynchrony as a cause of structural disease in the heart of Dorper sheep—J. KER, E.C. WEBB & C.F. VAN DER MERWE 197–202

Siphonaptera

Parasites of domestic and wild animals in South Africa. XLIV. Fleas (Insecta: Siphonaptera: Pulicidae) collected from 15 carnivore species—I.G. HORAK, J-C. BEAUCOURNU & L.E.O. BRAACK 9–14

South Africa

Parasites of domestic and wild animals in South Africa. XLIV. Fleas (Insecta: Siphonaptera: Pulicidae) collected from 15 carnivore species—I.G. HORAK, J-C. BEAUCOURNU & L.E.O. BRAACK 9–14

Psittacine beak and feather disease virus in budgerigars and ring-neck parakeets in South Africa—J. ALBERTYN, K.M. TAJBHAI & R.R. BRAGG 29–34

A sero-epidemiological survey of blood parasites in cattle in the north-eastern Free State, South Africa—M.S. MTSHALI, D.T. DE WAAL & P.A. MBATI 67–75

Studies on the genus *Setaria* Viborg, 1795 in South Africa. III. *Setaria thwaitei* Mönnig, 1933—R. WATERMEYER, J. BOOMKER & J.F. PUTTERILL 107–111

Characterization of a pigeon paramyxovirus (PPMV-1) isolated from chickens in South Africa—C. ABOLNIK, R.F. HORNER, R. MAHARAJ & G.J. VILJOEN 157–160

Parasites of South African wildlife. XVIII. *Cooperia pigachei* n. sp. (Nematoda: Cooperiidae) from the mountain reedbuck, *Redunca fulvorufula* (Afzelius, 1815)—J. BOOMKER & W.A. TAYLOR 171–174

Towards the establishment and standardization of a veterinary antimicrobial resistance surveillance and monitoring programme in South Africa—H. NEL, M. VAN VUUREN & G.E. SWAN 239–246

Parasites of domestic and wild animals in South Africa. XLV. Helminths of dairy calves on dry-land Kikuyu grass pastures in the Eastern Cape Province—I.G. HORAK, URSULA EVANS & R.E. PURNELL 291–306

Larval biology of *Rhipicephalus (Boophilus) decoloratus* (Acarina: Ixodidae) in Free State Province, South Africa—M.S. PHALATSI, L.J. FOURIE & I.G. HORAK 327–331

Progression towards endemic stability to bovine babesiosis in cattle introduced onto a game ranch—ASSEFA REGASSA, B.L. PENZHORN & N.R. BRYSON 333–336

Spain

Helminths in a giraffe (*Giraffa camelopardalis giraffa*) from a zoo in Spain—M.M. GARIJO, J.M. ORTIZ & M.R. RUIZ DE IBÁÑEZ 153–156

Struthio camelus

Reference serum protein and lipoprotein fractions of ostriches (*Struthio camelus*) in Turkey—U. POLAT, M. CETIN, O. TURKYILMAZ & A. YALCIN 77–79

Yolk sac utilization in ostrich (*Struthio camelus*) chicks—E.Z. MUSHI, M.G. BINTA & R.G. CHABO 247–249

Sudan

Preliminary survey of ticks (Acari: Ixodidae) on cattle in northern Sudan—D.A. SALIH, S.M. HASSAN, A.M. EL HUSSEIN & F. JONGEJAN 319–326

Syncerus caffer

Comparison of three different media for freezing of epididymal sperm from the African buffalo (*Syncerus caffer*) and influence of equilibration time on the post-thaw sperm quality—F.C. HEROLD, K. DE HAAS, D. COOPER, B. COLENBRANDER, J.O. NÖTHLING, W. THEUNISEN, B. SPILLINGS & D. GERBER 203–210

Tanzania

Cross sectional estimation of Babesia bovis antibody prevalence in cattle in two contrasting dairy areas in Tanzania —E.S. SWAI, E.D. KARIMURIBO, N.P. FRENCH, N.H. OGDEN, J. FITZPATRICK, D. KAMBARAGE & M.J. BRYANT 211–217

Theileria parva

Endemic stability for *Theileria parva* infections in Ankole calves of the Ankole ranching scheme, Uganda—F.M. KIVARIA, C. HEUER, F. JONGEJAN, J. OKELLO-ONEN, T. RUTAGWENDA, F. UNGER & W. BOEHL 189–195

The effect of dexamethasone and promethazine in combination with buparvaquone in the management of East Coast fever—M. GWAMAKA, J.A. MATOVELO, M.M.A. MTAMBO, G.K. MBASSA, R.M. MASELLE & S. BONIPHACE 119–128

Tick-borne diseases

A sero-epidemiological survey of blood parasites in cattle in the north-eastern Free State, South Africa—M.S. MTSHALI, D.T. DE WAAL & P.A. MBATI 67–75

Endemic stability for *Theileria parva* infections in Ankole calves of the Ankole ranching scheme, Uganda—F.M. KIVARIA, C. HEUER, F. JONGEJAN, J. OKELLO-ONEN, T. RUTAGWENDA, F. UNGER & W. BOEHL 189–195

Ticks

A laboratory comparison of the life cycles of the dog ticks *Haemaphysalis leachi* and *Rhipicephalus sanguineus*—P.A.H. JACOBS, L.J. FOURIE & I.G. HORAK 15–28

Development of a novel self-medicating applicator for control of internal and external parasites of wild and domestic animals—M.J. BURRIDGE, L.A. SIMMONS, E.H. AHRENS, S.A.J. NAUDÉ & F.S. MALAN 41–51

Some observations on the sero-prevalence of heartwater and tick infestation in Zambian goats—B. AHMADU, C.E.A. LOVELACE, K.L. SAMUI & S. MAHAN 161–164

High infection rates of the tick *Hyalomma anatolicum anatolicum* with *Trypanosoma theileri*—A.A. LATIF, M.A. BAKHEIT, AMNA E. MOHAMED & E. ZWEYGARTH 251–256

Ixodid ticks on dogs in southern Mozambique—L. NEVES, S. AFONSO & I.G. HORAK 279–283

Striped mice, *Rhabdomys pumilio*, and other murid rodents as hosts for immature ixodid ticks in the Eastern Cape Province—T.N. PETNEY, I.G. HORAK, D.J. HOWELL & S. MEYER 313–318

Preliminary survey of ticks (Acari: Ixodidae) on cattle in northern Sudan—D.A. SALIH, S.M. HASSAN, A.M. EL HUSSEIN & F. JONGEJAN 319–326

Trichostrongylus axei

Parasites of domestic and wild animals in South Africa. XLV. Helminths of dairy calves on dry-land Kikuyu grass pastures in the Eastern Cape Province—I.G. HORAK, URSULA EVANS & R.E. PURNELL 291–306

Trypanosoma

Protective efficacy of isometamidium chloride and diminazene aceturate against natural *Trypanosoma brucei, Trypanosoma congolense* and *Trypanosoma vivax* infections in cattle under a suppressed tsetse population in Uganda—J.W. MAGONA, J.S.P. MAYENDE, R. OKIRIA & N.M. OKUNA 231–237

High infection rates of the tick *Hyalomma anatolicum anatolicum* with *Trypanosoma theileri*—A.A. LATIF, M.A. BAKHEIT, AMNA E. MOHAMED & E. ZWEYGARTH 251–256

Trypanosomosis

Evaluation of isometamidium levels in the serum of sheep and goats after prophylactic treatment against trypanosomosis—J.O. WESONGAH, G.A. MURILLA, J.K. KIBUGU & T.W. JONES 175–179

Seasonal prevalence of bovine trypanosomosis in a tsetse-infested zone and a tsetse-free zone of the Amhara Region, north-west Ethiopia—T. CHERENET, R.A. SANI, J.M. PANANDAM, S. NADZR, N. SPEYBROECK & P. VAN DEN BOSSCHE 307–312

Tsetse

Protective efficacy of isometamidium chloride and diminazene aceturate against natural *Trypanosoma brucei, Trypanosoma congolense* and *Trypanosoma vivax* infections in cattle under a suppressed tsetse population in Uganda—J.W. MAGONA, J.S.P. MAYENDE, R. OKIRIA & N.M. OKUNA 231–237

Seasonal prevalence of bovine trypanosomosis in a tsetse-infested zone and a tsetse-free zone of the Amhara Region, north-west Ethiopia—T. CHERENET, R.A. SANI, J.M. PANANDAM, S. NADZR, N. SPEYBROECK & P. VAN DEN BOSSCHE 307–312

Turkey

Reference serum protein and lipoprotein fractions of ostriches (*Struthio camelus*) in Turkey—U. POLAT, M. CETIN, O. TURKYILMAZ & A. YALCIN 77–79

Uganda

Endemic stability for *Theileria parva* infections in Ankole calves of the Ankole ranching scheme, Uganda—F.M. KIVARIA, C. HEUER, F. JONGEJAN, J. OKELLO-ONEN, T. RUTAGWENDA, F. UNGER & W. BOEHL 189–195

Protective efficacy of isometamidium chloride and diminazene aceturate against natural *Trypanosoma brucei*, *Trypanosoma congolense* and *Trypanosoma vivax* infections in cattle under a suppressed tsetse population in Uganda—J.W. MAGONA, J.S.P. MAYENDE, R. OKIRIA & N.M. OKUNA 231–237

Urea

Changes in the renal handling of urea in sheep on a low protein diet exposed to saline drinking water—R.A. MEINTJES & H. ENGELBRECHT 165–170

Ventricular dyssynchrony

Ventricular dyssynchrony as a cause of structural disease in the heart of Dorper sheep—J. KER, E.C. WEBB & C.F. VAN DER MERWE 197–202

Virus

Characterization of a pigeon paramyxovirus (PPMV-1) isolated from chickens in South Africa—C. ABOLNIK, R.F. HORNER, R. MAHARAJ & G.J. VILJOEN 157–160

Molecular epidemiology of serotype O foot-and-mouth disease virus isolated from cattle in Ethiopia between 1979–2001—M. SAHLE, E.H. VENTER, R.M. DWARKA & W. VOSLOO 129–138

Protective levels of canine distemper virus antibody in an urban dog population using plaque reduction neutralization test—O.I. OYEDELE, D.O. OLUWAYELU, S.I.B. CADMUS, S.O. ODEMUYIWA & F.D. ADU 227–230

Psittacine beak and feather disease virus in budgerigars and ring-neck parakeets in South Africa—J. ALBERTYN, K.M. TAJBHAI & R.R. BRAGG 29–34

Wildlife

Parasites of South African wildlife. XVIII. *Cooperia pigachei* n. sp. (Nematoda: Cooperiidae) from the mountain reedbuck, *Redunca fulvorufula* (Afzelius, 1815)—J. BOOMKER & W.A. TAYLOR 171–174

Studies on the genus *Setaria* Viborg, 1795 in South Africa. III. *Setaria thwaitei* Mönnig, 1933—R. WATERMEYER, J. BOOMKER & J.F. PUTTERILL 107–111

Zambia

Some observations on the sero-prevalence of heartwater and tick infestation in Zambian goats—B. AHMADU, C.E.A. LOVELACE, K.L. SAMUI & S. MAHAN 161–164

Zimbabwe

A retrospective study of the prevalence and seasonal variation of *Fasciola gigantica* in cattle slaughtered in the major abattoirs of Zimbabwe between 1990 and 1999—D.M. PFUKENYI & S. MUKARATIRWA 181–187

The occurrence of *Contracaecum* sp. larvae (Nematoda: Anisakidae) in the catfish, *Clarias gariepinus* (Burchell) from Lake Chivero, Zimbabwe—M. BARSON 35–39